Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



AUGUST BULLETIN LIBRARY RECEIVED ★ SEP 5 1929 ★ T. 3. Tenartment of Agriculture.

The Pine Barrens

07

New Gersey

J. M. BASSETT

Hammonton, N. J.

U. S. A.

SEEDS OF THE PINE BARRENS

VARIETIES	ER LB.
Ampelopsis Quinquefolia. Andromeda Mariana, pods. Ligustrina, pods.	. 1.00
" Racemosa, pods	
" Calyculata, pods	. 2.00
Asclepias Tuberosaoz. \$2.00	
Azalea Viscosa, pods	. 4.00
Betula Populifolia, 10 lbs. at 85c	. 1.00
Cephalantus Occidentalis	75
Crategus Crusgalli.	. 1.00
"Parvifolia	. 1.00
Cupressus Thyoides, pods	. 2.00
Diospyrus Virginiana	50
Gaultheria Procumbens	. 3.00
Hibiscus Moscheutos	
"Opaca	
Itea Virginica	
Juniperus Virginiana	1.50
Kalmia Angustifolia, pods	1.00
" Latifolia, pods" " clean	1.50
" '' clean	$8.00 \\ 4.00$
Lupinus Perennisoz. 40c	5.00
Myrica Cerifera	.75
Nyssa Sylvatica	1.50
Nyssa Sylvatica	5.00
"Virginiana	6.00
Quercus Illicifolia	.20
Rhus Copalina	. 75
Rosa Carolina	.75
"Lucida	1.00
Smilax Rotundifolia	2.00
" Walterii	3.00

Order Early

Varieties that mature early should be ordered as far in advance as possible to avoid any disappointment.

Seed Crop Conditions

The following is an estimate of seed crop conditions for season of 1929, as they appear at this date, August 1st.

Azalea viscosa will probably be a fair crop. The pods are set, and unless some unforseen conditions arise there will be a full crop.

Aronia arbutifolia will be a good crep.

Betula populifolia will be an average crop.

Cephalanthus looks like a full crop.

Cupressus thyoides will be a better crop than for several years.

Ilex glabra will be a good crop.

Itea virginica, an average crop.

Leucothoe (Andromeda) racemosa, a full crop.

Magnolia glauca gave promise of a full crop early but has not set well and will be a short crop.

Myrica cerifera will be a fair crop.

Pinus rigida, can fill all requirements if ordered in season.

Pinus echinata. Supply very limited. This variety opens very early and caunot secure it in large quantities.


Quercus illicifolia will be a good crop this season, but it is liable to be short next year owing to late frost this spring.

Vaccinium corymbosum is a short crop.

Viburnum dentatum is also short.

Viburnum cassinoides, a moderate crop.

Nearly all varities are ripening 2 to 3 weeks early this year. There is also an unusual fire hazard, owing to extreme dry conditions. All orders are accepted subject to these conditions.



PINUS ECHINATA .--